Index

Abdel-Hady, F., G. Baaklini, Y. Gowayed, R. Creighton, D. Lee and J. Trudell, *Manufacture and NDE of Multi-direction Composite Flywheel Rims*, 24 (4), 413–421.

Abdel-Hady, F., *Filament Winding of Revolution Structures*, 24 (8), 855–868.

Abot, J. L., A. Yasmin and I. M. Daniel, *Hygroscopic Behavior of Woven Fabric Carbon–Epoxy Composites*, 24 (2), 195–207.

Agarwal, B., P. C. Upadhyay, L. Banta and D. Loyns, *Transient Temperature Distribution in Composites with Layers of Functionally Graded Materials (FGMs)*, 24 (18), 1929–1963.

Ahn, H.-S., J.-H. Kweon and J.-H. Choi, *Failure of Unidirectional-woven Composite Laminated Pin-loaded Joints*, 24 (7), 735–752.

Akçay, İ. H. and İ. Kaynak, *Analysis of Multilayered Composite Cylinders under Thermal Loading*, 24 (11), 1169–1179.

Aktaş, A., *Elastic–Plastic Stress Analysis and Plastic Region Expansion of Transversely Distributed Loaded Aluminum Metal–Matrix-laminated Plates with a Square Hole*, 24 (6), 595–606.

Arsian, N. and T. Özben, *An Elastic–Plastic Stress Analysis in a Unidirectional Reinforced Steel Fiber Thermoplastic Composite Cantilever Beam Loaded by a Single Force at the Free End*, 24 (5), 457–469.

Arslan, N., *An Elastic-Plastic Stress Analysis of a Woven Reinforced Steel Fiber Thermoplastic Composite Cantilever Beam Subjected to Transverse Uniform Loads on the Upper Surface*, 24 (14), 1493–1508.

Assaf, B., H. Menge, V. Sobotka and F. Trochu, *Development of a Characterization Mold to Measure the Transverse Thermal Conductivity of a Composite Material by Inverse Analysis*, 24 (17), 1837–1854.

Avci, A., S. Kaya and B. Daghan, *Thermal Buckling of Rectangular Laminated Plates with a Hole*, 24 (3), 259–272.

Balakrishnan, S. and D. Raghavan, *Chemically Functionalized Clay Vinyl Ester Nanocomposites II – Vernonia Oil-based Surfactant*, 24 (1), 5–20.

Balakrishnan, S. and D. Raghavan, *Chemically Functionalized Clay–Epoxy Nanocomposites: Vernonia Oil-based Surfactant*, 24 (8), 785–793.

Baykara, C., U. Güven and I. Bayer, *Large Deflections of a Cantilever Beam of Nonlinear Bimodulus Material Subjected to an End Moment*, 24 (12), 1321–1326.

Bektaş, N. B., M. Topcu, H. Çallioğlu and G. Altan, *Elastic–Plastic and Residual Stress Analysis of an Aluminum Metal–Matrix Composite Disk under Internal Pressures*, 24 (7), 753–762.

Bhatnagar, A. and M. Sain, *Processing of Cellulose Nanofiber-reinforced Composites*, 24 (12), 1259–1268.

Chakraborty, D. and M. Kumar, *Response of Laminated FRP Composites under Multiple Impact Loading*, 24 (14), 1457–1477.

0731-6844/05/18 1995–8 $10.00/0 DOI: 10.1177/0731684405061808
© 2005 SAGE Publications

Charlebois, K. M., R. Boukhili, O. Zebdi and F. Trochu, *Evaluation of the Physical and Mechanical Properties of Braided Fabrics and their Composites*, 24 (14), 1539–1554.

Chen, C.-S., *Large Amplitude Vibration of Initially Stressed Orthotropic Plates*, 24 (10), 1073–1083.

Chen, C.-S., W.-S. Cheng, T.-S. Wang and R.-D. Chien, *Optimum Design of Gas-assisted Injection Molding*, 24 (15), 1577–1586.

Chen, C.-S., *Investigation on the Vibration and Stability of Hybrid Composite Plates*, 24 (16), 1747–1758.

Chen, G., X. Cheng, Z. Li and C. Kou, *The Effect of Environment on Tensile Properties of Stitched and Unstitched Laminates (with a Hole)*, 24 (17), 1883–1889.

Çallioğlu, H., M. Topcu and G. Altan, *Stress Analysis of Curvilinearly Orthotropic Rotating Discs under Mechanical and Thermal Loading*, 24 (8), 831–838.

Dağhan, B., *Predicting the First-ply Failure of Multilayered Composite Cylinders under Hygrothermal Loading*, 24 (17), 1781–1789.

Dai, H. L. and X. Wang, *Thermoelectroelastic Responses in Orthotropic Piezoelectric Hollow Cylinders Subjected to Thermal Shock and Electric Excitation*, 24 (10), 1085–1103.

Dai, J. J., X. D. Liang, X. F. Yao and H. Y. Yeh, *Study of Cracked Unidirectional Glass Fiber-reinforced Composites by Digital Speckle Correlation Method*, 24 (16), 1737–1746.

Das, S. C., S. N. Jena and R. K. Rout, *Biopolymer Composites – Its Thermokinetic Studies*, 24 (8), 889–897.

Davidson, B. D. and X. Sun, *Effects of Friction, Geometry, and Fixture Compliance on the Perceived Toughness from Three-and Four-Point Bend End-Notched Flexure Tests*, 24 (15), 1611–1628.

Deka, D. J., G. Sandeep, D. Chakraborty and A. Dutta, *Multiobjective Optimization of Laminated Composites using Finite Element Method and Genetic Algorithm*, 24 (3), 273–285.

Dev, V. R. G., A. Swarna and M. Madhusoothanan, *Mechanical Properties of Knitted Composites using Glass Ply Yarns*, 24 (13), 1425–1435.

Ding, S. R., J. W. Tong and M. Shen, *Numerical Simulation of Elastic–Plastic Behavior of Thermoplastic Composites*, 24 (6), 647–654.

Ding, S.-R., J. W. Tong and M. Shen, *The Three-dimensional Elastic-plastic Analysis of Interlaminar Stresses in Notched Thermoplastic Composites*, 24 (11), 1151–1158.

Endruweit, A., S. Fritzsche, R. Thull, A. Haase and W. Baur, *High-performance Composites for Applications in Medical Engineering: Susceptibility Artifacts in Magnetic Resonance Imaging*, 24 (2), 131–146.

Erchiqui, F., A. Bendada and A. Gakwaya, *Analysis of Long Fibers Direction of Transversely Isotropic Hyperelastic Material for Thermoforming Application*, 24 (9), 961–975.

Erchiqui, F., *Finite Element Analysis of Transversely Isotropic Viscoelastic Material for Thermoforming Process*, 24 (12), 1229–1246.

Erratum, 24 (4), 446–446.

Esendemir, Ü., *The Effects of Shear on the Deflection of Linearly Loaded Composite Cantilever Beam*, 24 (11), 1159–1168.

Firouzmanesh, M. R. and A. Aref Azar, *Study of the Effect of BDMA Catalyst in Epoxy Novolac Curing Process by Isothermal DSC*, 24 (4), 345–353.

Fréour, S., F. Jacquemin and R. Guillén, *On an Analytical Self-consistent Model for Internal Stress Prediction in Fiber-reinforced Composites Submitted to Hygroelastic Load*, 24 (13), 1365–1377.

Fung, C.-P. and Y.-F. Tien, *Study of Multiresponse Optimization for Fiber-reinforced Poly(Butylene Terephthalate)*, 24 (9), 923–933.

Ganesan, R. and V. K. Kowda, *Free-vibration of Composite Beam-columns with Stochastic Material and Geometric Properties Subjected to Random Axial Loads*, 24 (1), 69–91.

Ganesan, R. and V. K. Kowda, *Buckling of Composite Beam-columns with Stochastic Properties*, 24 (5), 513–543.

Garai, J. and C. Ray, *Initial Failure Analysis of Laminated Composite Plates under Humid Conditions*, 24 (11), 1203–1212.

Goswami, S., *A Finite Element Investigation on Progressive Failure Analysis of Composite Bolted Joints Under Thermal Environment*, 24 (2), 161–171.

Goswami, S. *A Finite Element Investigation on the Effect of Cross-sectional Warping on Flexural Response of Laminated Composites and Sandwiches using Higher-order Shear Deformation Theory*, 24 (15), 1587–1604.

Gui, L., Z. Fan and Z. Li, *Study on Stiffness of Stitched Laminates*, 24 (17), 1817–1836.

Hassan, N., J. E. Thompson, R. C. Batra, A. B. Hulcher, X. Song and A. C. Loos, *A Heat Transfer Analysis of the Fiber Placement Composite Manufacturing Process*, 24 (8), 869–888.

Hattabi, M., J. Echaabi, M. O. Bensalah, J. Breard and A. Saouab, *Flow Analysis during On-line and Radial Injection Applications in Permeability Measurements*, 24 (18), 1909–1920.

Huang, C.-H. and Y.-J. Lee, *Quasi-static Simulation of Composite-laminated Shells Subjected to Low-velocity Impact*, 24 (7), 763–774.

Huang, H.-X. and S. Lu, *Neural Modeling of Parison Extrusion in Extrusion Blow Molding*, 24 (10), 1025–1034.

Huang, Z.-M., *Efficient Approach to the Structure–Property Relationship of Woven and Braided Fabric-reinforced Composites up to Failure*, 24 (12), 1289–1309.

Huang, D. and J. Lyons, *Finite Element Analysis of Test Specimens to Assess Composite–Concrete Bond Durability*, 24 (13), 1387–1405.

Islam, M. N., M. A. Khan and M. A. Zaman, *Study of the Defects and Water Absorption Behavior in Jute-reinforced Polymer Composites using Film Neutron Radiography*, 24 (16), 1697–1703.

Ismail, H., Salmah and A. A. Bakar, *The Effect of Paper Sludge Content and Size on the Properties of Polypropylene (PP)–Ethylene Propylene Diene Terpolymer (EPDM) Composites*, 24 (2), 147–159.

Jacquemin, F., S. Fréour and R. Guillén, *A Hygroelastic Self-consistent Model for Fiber-reinforced Composites*, 24 (5), 485–502.

Kagan, V. A., S. A. Kocheny and J. E. Macur, *Moisture Effects on Mechanical Performance of Laser-welded Polyamide*, 24 (11), 1213–1223.

Kagan, V. A. and R. J. Nichols, *Benefits of Induction Welding of Reinforced Thermoplastics in High Performance Applications*, 24 (13), 1345–1352.

Kapuria, S., P. C. Dumir and A. Ahmed, *Coupled Consistent Third-order Theory for Hybrid Piezoelectric Composite and Sandwich Beams*, 24 (2), 173–194.

Kim, D. H., W. Hwang, H. C. Park and W. S. Park, *Fatigue Characteristics of a Surface Antenna Structure Designed for Satellite Communication*, 24 (1), 35–51.

Kim, K.-Y. and L. Ye, *Influence of Matrix and Interface on Transverse Mechanical Properties of CF–PEI Thermoplastic Composites at Elevated Temperatures*, 24 (4), 429–445.

Kiratisaevee, H. and W. J. Cantwell, *Low-velocity Impact Response of High-performance Aluminum Foam Sandwich Structures*, 24 (10), 1057–1072.

Kishore and S. Santra, *Individual and Combined Roles of CTBN and Fly Ash in Epoxy System under Compression: Correlation between Microscopic Features and Mechanical Behavior*, 24 (3), 299–313.

Kishore and S. Santra, *Impact Studies in Elastomer, Fly Ash, and Hybrid-filled Epoxy Composites: Part I – Room Temperature Curing*, 24 (9), 903–922.

Kishore and S. Santra, *Impact Studies in Elastomer, Fly Ash, and Hybrid-filled Epoxy Composites: Part II – Comparison of Data and Fracture Features of the Samples Cured via a Single Room Temperature and Multiple High Temperatures*, 24 (10), 1013–1024.

Kishore, P. Barpanda and S. M. Kulkarni, *Compression Strength of Saline Water-exposed Epoxy System Containing Fly Ash Particles*, 24 (15), 1567–1576.

Krishna, H. V. R., S. P. Priya, S. K. Rai and A. V. Rajulu, *Tensile, Impact, and Chemical Resistance Properties of Granite Powder–Epoxy Composites*, 24 (5), 451–455.

Ku, H. S., *Contrast Joints of Glass Fiber with Carbon Fiber-reinforced Low-density Polyethylene Composite Bonded by Microwave Irradiation*, 24 (10), 1035–1049.

Ku, H. S., D. Baddeley, C. Snook and C. S. Chew, *Fracture Toughness of Vinyl Ester Composites Cured by Microwave Irradiation: Preliminary Results*, 24 (11), 1181–1201.

Kumar, H. and Siddaramaiah, *Study of Chemical and Tensile Properties of Polyurethane and Polyurethane/Polyacrylonitrile Coated Bamboo Fibers*, 24 (2), 209–213.

Kumar, H., Siddaramaiah and S. Roopa, *Chemical and Tensile Properties of Unsaturated Polyester and Polyacrylonitrile Semi-interpenetrating Polymer Network Coated Bamboo Fibers*, 24 (2), 215–218.

Kumar, C. R., K. Radhakrishna and R. M. V. G. K. Rao, *Postcuring Effects on Impact Behavior of Glass/Epoxy Composite Laminates*, 24 (9), 949–960.

Kumar, M. N. S. and Siddaramaiah, *Studies on Poly(Styrene-co-Butyl Acrylate) Latex-reinforced Polyester Nonwoven Fabric Thermoplastic Composites*, 24 (13), 1413–1423.

Kumar, M. N. S. and Siddaramaiah, *Studies on Cornstarch-filled Poly(styrene-co-butyl acrylate) Latex-reinforced Polyester Nonwoven Fabric Composites*, 24 (18), 1985–1994.

Lee, Y.-J., C.-C. Lin, J.-C. Ji and J.-S. Chen, *Optimization of a Composite Rotor Blade using a Genetic Algorithm with Local Search*, 24 (16), 1759–1769.

Liang, G., A. Garg, K. Chandrashekhara, V. Flanigan and S. Kapila, *Cure Characterization of Pultruded Soy-based Composites*, 24 (14), 1509–1520.

Lin, H. J., J. J. Lin and T. J. Chuang, *Strength Evaluation of a Composite Marine Propeller Blade*, 24 (17), 1791–1807.

Liu, S.-J. and K.-Y. Lin, *Injection Compression Molding of Wedge-shaped Plates: Effects of Processing Parameters*, 24 (4), 373–383.

Lyons, J. S. and M. R. Ahmed, *Factors Affecting the Bond Between Polymer Composites and Wood*, 24 (4), 405–412.

Mariatti, M. and P. K. Chum, *Effect of Laminate Configuration on the Properties of Glass Fiber-reinforced Plastics (GFRPs) Mixed Composites*, 24 (16), 1713–1721.

Melo, J. D. D. and D. W. Radford, *Viscoelastic Properties of PEEK–IM7 Related to Temperature*, 24 (5), 545–556.

Mohan, N. S., A. Ramachandra and S. M. Kulkarni, *Machining of Fiber-reinforced Thermoplastics: Influence of Feed and Drill Size on Thrust Force and Torque during Drilling*, 24 (12), 1247–1257.

Nirmala, K., P. C. Upadhyay, J. Prucz and D. Loyns, *Thermoelastic Stresses in Composite Beams with Functionally Graded Layer*, 24 (18), 1965–1977.

Okumuş, F., *An Elastic–Plastic Stress Analysis in Silicon Carbide Fiber-reinforced Magnesium Metal–Matrix Composite Beam having Rectangular Cross Section under Transverse Loading*, 24 (5), 471–484.

Okumuş, F., *Investigation of Stress Analysis and Shear Correction Factors In A Thermoplastic Composite Cantilever Beam Under In-plane Loading*, 24 (6), 607–618.

Onal, L. and S. Adanur, *Optimization of Compression Molding Process in Laminated Woven Composites*, 24 (7), 775–780.

Ozbay, M. and D. Ozer, *The Analysis of Elasto-plastic Stresses in the Composite Laminate with a Circular Hole Subjected to In-plane Loads by Means of Finite Element Method*, 24 (6), 619–630.

Patel, B. P., S. S. Gupta, M. Joshi and M. Ganapathi, *Transient Response Analysis of Bimodulus Anisotropic Laminated Composite Plates*, 24 (8), 795–821.

Pham, X.-T., P. Bates and A. Chesney, *Modeling of Thermoforming of Low-density Glass Mat Thermoplastic*, 24 (3), 287–298.

Priya, S. P., H. V. Ramakrishna, S. K. Rai and A. V. Rajulu, *Tensile, Flexural, and Chemical Resistance Properties of Waste Silk Fabric-reinforced Epoxy Laminates*, 24 (6), 641–646.

Priya, S. P. and S. K. Rai, *Impact, Compression, Density, Void Content, and Weight Reduction Studies on Waste Silk Fabric/Epoxy Composites*, 24 (15), 1605–1610.

Prusty, B. G. *Progressive Failure Analysis of Laminated Unstiffened and Stiffened Composite Panels*, 24 (6), 631–640.

Rahatekar, S. S. and J. A. Roux, *Injection Pultrusion Simulation for Polyester/Glass Mat/Rovings/Mat Composites*, 24 (1), 53–68.

Ramakrishna, H. V., S. Padma Priya, S. K. Rai and A. Varadarajulu, *Studies on Tensile and Flexural Properties of Epoxy Toughened with PMMA/Granite Powder and Epoxy Toughened with PMMA/Fly Ash Composites*, 24 (12), 1269–1277.

Ramakrishna, H. V., S. Padma Priya, S. K. Rai and A. Varadarajulu, *Tensile, Flexural Properties of Unsaturated Polyester/Granite Powder and Unsaturated Polyester/Fly Ash Composites*, 24 (12), 1279–1287.

Ramakrishna, H. V. and S. K. Rai, *A Study on the Mechanical and Water Absorption Properties of Granite Powder/Epoxy Toughened with PMMA and Fly Ash/Epoxy Toughened with PMMA Composites*, 24 (17), 1809–1816.

Rao, Ch. G. K. and A. Bhar, *Reliability of Composite Laminates in Ship Hulls*, 24 (9), 977–991.

Rattanawangcharoen, N., *First-ply Failure Analysis of Laminated Composite Cylindrical Panels*, 24 (14), 1521–1537.

Ray, B. C., *Thermal Shock and Thermal Fatigue on Delamination of Glass-fiber-reinforced Polymeric Composites*, 24 (1), 111–116.

Ray, B. C., *Effects of Thermal and Cryogenic Conditionings on Mechanical Behavior of Thermally Shocked Glass Fiber–Epoxy Composites*, 24 (7), 713–717.

Ray, B. C., *Hydrothermal Fatigue on Interface of Glass-epoxy Laminates*, 24 (10), 1051–1056.

Ray, B. C., *Effect of Hydrothermal Shock Cycles on Shear Strength of Glass Fiber–polyester Composites*, 24 (12), 1335–1340.

Ray, B. C., *Freeze–Thaw Response of Glass–Polyester Composites at Different Loading Rates*, 24 (16), 1771–1776.

Sadooghi, P. and C. Aghanajafi, *Transient Combined Radiative and Conductive Heat Transfer in a Polyamide 6T Layer*, 24 (15), 1655–1665.

Sahu, S. K., A. V. Asha and R. N. Mishra, *Stability of Laminated Composite Pretwisted Cantilever Panels*, 24 (12), 1327–1334.

Sain, M., P. Suhara, S. Law and A. Bouilloux, *Interface Modification and Mechanical Properties of Natural Fiber–Polyolefin Composite Products*, 24 (2), 121–130.

Salim, H. A. and J. F. Davalos, *Shear Lag of Open and Closed Thin-walled Laminated Composite Beams*, 24 (7), 673–690.

Satapathy, B. K. and J. Bijwe, *Fade and Recovery Behavior of Non-Asbestos Organic (NAO) Composite Friction Materials based on Combinations of Rock Fibers and Organic Fibers*, 24 (6), 561–576.

Satapathy, B. K. and J. Bijwe, *Influence of Operating Parameters on the Performance of Friction Composites Based on Combinations of Rock Fibers and Organic Fibers*, 24 (6), 577–594.

Sayman, O., S. Yanginci and M. Sayer, *Thermoelastic–Plastic Stress Analysis in a Thermoplastic Composite Disc*, 24 (1), 21–33.

Sayman, O., M. Belevi, M. Altinhan and S. Sayman, *Stress Analysis of Symmetric Aluminum Composite-laminated Beams under a Bending Moment: Materially Nonlinear Only*, 24 (17), 1865–1881.

Sharma, R., S. Ranta and A. Ranjan, *Inverse Mixture Rule of Multiphase Composite Bodies*, 24 (7), 719–724.

Shen, C., M. Zhai and Y. Gu, *An Improved Algorithm for the Simulation of Injection-molding Filling Process*, 24 (7), 691–698.

Siddiqui, A. O. and G. Balasubrahmanyam, *Design of Ablative Liners for High Heat and Erosive Conditions*, 24 (9), 993–1007.

Singh, P., A. Kaushik and P. Gupta, *Characterization of Castor Oil and Diphenyl Methane Diisocyanate-based Polyurethane–Polystyrene Interpenetrating Networks*, 24 (14), 1479–1491.

Sirjani, M. B. and Z. Razzaq, *Stability of FRP Beams under Three-point Loading and LRFD Approach*, 24 (18), 1921–1927.

Sirjani, M. B. and Z. Razzaq, *Unsymmetric and Biaxial Bending of FRP Angle Sections*, 24 (18), 1979–1984.

Sk, L. and P. K. Sinha, *Improved Finite Element Analysis of Multilayered, Doubly Curved Composite Shells*, 24 (4), 385–404.

Soukane, S. and F. Trochu, *New Remeshing Applications in Resin Transfer Molding*, 24 (15), 1629–1653.

Srivastava, A., A. Agarwal, D. Chakraborty and A. Dutta, *Control of Smart Laminated FRP Structures using Artificial Neural Networks*, 24 (13), 1353–1364.

Suman, N. J., S. K. Pathak and S. Tammishetti, *Assessment of Bismaleimide-modified Cyanate Ester as Matrix Resin for Elevated Service Temperature Carbon Composite Applications*, 24 (10), 1105–1114.

Sun, D. and L. Tong, *Optimal Voltage Design for Static Shape Control of Smart Structures with Nonlinear Piezoelectric Actuators*, 24 (4), 355–372.

Svanberg, J. M., C. Altkvist and T. Nyman, *Prediction of Shape Distortions for a Curved Composite C-spar*, 24 (3), 323–339.

Swann, C., A. Chattopadhyay and A. Ghoshal, *Characterization of Delamination by Using Damage Indices*, 24 (7), 699–711.

Toro, N., O. I. Okoli and H.-P. Wang, *In-mold Coating of Composites Manufactured by Resin Infusion between Double Flexible Tooling Process*, 24 (7), 725–733.

Umasree, P. and K. Bhaskar, *Accurate Flexural Analysis of Clamped Moderately Thick Cross-ply Rectangular Plates by Superposition of Exact Untruncated Infinite Series Solutions*, 24 (16), 1723–1736.

Varada Rajulu, A., G. Babu Rao, L. Ganga Devi, S. Ramaiah, D. S. Prada, K. Shrikant Bhat and R. Shylashree, *Mechanical Properties of Short, Natural Fiber Hildegardia populifolia-reinforced Styrenated Polyester Composites*, 24 (4), 423–428.

Varada Rajulu, A., R. R. Devi and L. G. Devi, *Thermal Degradation Parameters of Bamboo Fiber Reinforcement*, 24 (13), 1407–1411.

Wang, X. and Y. C. Zhang, *Transient Response of Interlaminar Stresses in Laminated Plates with Complexes Boundary, Under Thermal Environment*, 24 (1), 93–109.

Wang, X. and J. Kiao, *Dynamic Interlaminar Stresses in Laminated Plates with Piezoelectric Actuators in Thermal Environments*, 24 (13), 1437–1451.

Wu, H. and X. Yan, *Interlaminar Stress Modeling of Composite Laminates with Finite Element Method*, 24 (3), 235–258.

Wu, G. H., T. C. Tsein and S. H. Ju, *Three-dimensional Finite Element Analysis of Thermomechanical Behavior in Flip-chip Packages under Temperature Cycling Conditions*, 24 (18), 1895–1907.

Xiaoquan, C., A. M. Al-mansour, L. Zhengneng and K. Chenghe, *Compression Strength of Stitched Laminates after Low-velocity Impact*, 24 (9), 935–947.

Yan, X., *Finite Element Formulation of Tire with Static Foundation Contact and Its Application*, 24 (16), 1671–1696.

Yao, X.-F., H.-P. Zhao and H.-Y. Yeh, *Dynamic Caustic Analysis of Propagating Mode II Cracks in Transversely Isotropic Material*, 24 (6), 655–666.

Yapici, A., Ö. S. Şahin and M. Uyaner, *Elastic–Plastic Stress Analysis of Woven Cr–Ni-reinforced Composite-laminated Plates with a Hole under In-plane Loading*, 24 (5), 503–511.

Yapici, A., Ö. S. Şahin and H. Arikan, *Buckling of Metal-reinforced Thermoplastic Composite Laminated Plates with Holes*, 24 (13), 1379–1386.

Yeh, H.-Y. and D. Tandjung, *Mixed Mode Fracture Analysis of the Lap Shear Specimen Test Per ASTM D1002*, 24 (8), 839–853.

Yeh, H.-L. and H.-Y. Yeh, *Application of the Quadric Surfaces Criterion to Laminated Composites Containing a Through Thickness Crack*, 24 (17), 1855–1864.

Yildiz, H. and M. Aktas, *Effects of Plasticity Models on Residual Stresses and Plastic Zone Growth in Aluminum Metal-matrix Composites Under Out-of-plane Loading*, 24 (11), 1131–1149.

Yu, G., Y. De-zhuang, H. Shi-yu, L. Yong, J. Sheng-ling and L. Zhi-jun, *A Study on Damage Effect of Vacuum Thermocycling on M40J–Epoxy Composites*, 24 (16), 1705–1711.

Zhai, M. and C. Shen, *An Optimization Scheme Based on Flow Resistance to Locate Optimum Gate of Complex Part*, 24 (15), 1559–1566.

Zhang, F., Z. Kuang, Z. Wan and X. Du, *Viscoelastic Constitutive Model of Cord–Rubber Composite*, 24 (12), 1311–1320.

Zheng, Y., R. Ning and Y. Zheng, *Study of SiO_2 Nanoparticles on the Improved Performance of Epoxy and Fiber Composites*, 24 (3), 223–233.

Zhou, H. and D. Li, *Computer Evaluation of Weld Lines in Injection-molded Parts*, 24 (3), 315–322.

Zhou, H., T. Geng and D. Li, *Numerical Filling Simulation of Injection Molding Based on 3D Finite Element Model*, 24 (8), 823–830.

Zor, M., F. Şen and M. E. Toygar, *An Investigation of Square Delamination Effects on the Buckling Behavior of Laminated Composite Plates with a Square Hole by using Three-dimensional FEM Analysis*, 24 (11), 1119–1130.